SIMLU HOLDINGS

LALIZAS

Simply life saving

LIFEBUOY RING

Behold

The new Height Champion

For use on big ships and offshore drilling units* with lifebuoy drop storage height up to 80m

80m

0098

* Certified in accordance with the IMO MODU Code



Behold

The new Height Champion



LALIZAS

Lifebuoy Ring SOLAS

Designed for pleasure & commercial usage. Features an orange polyethylene outer shell that does not deteriorate. Remains unaffected by extreme weather conditions. Flame & Oil Resistant.

Code **LBR25** : **2,5 kg** (5.11 lb)
Code **LBR40** : **4,0 kg** (8.81 lb)

For use on big ships & IMO MODU certified offshore drilling units with lifebuoy drop storage height up to**

80m

0098

CE Approved
According to SOLAS
L.S.A. Code by G.L.Hamburg ©

CE approval certificates replace all the National approval certificates of European committee member states (D.O.T-U.K etc).

** IMO L.S.A Code (Life-Saving-Appliances Code) as amended, corresponds to the latest amendment of chapter III of SOLAS in force since June 1998, as well as the Maritime Equipment Directive 96/98/EC.

** Suitable for offshore drilling units certified in accordance with IMO MODU Code. IMO MODU Code corresponds to the code for construction & equipment of "MOBILE OFFSHORE DRILLING UNITS".

SIMLU HOLDINGS

Simlu Holdings
Nexus House, Zimbali Lodge Drive, Port Zimbali, Dolphin Coast, 4399
Tel: 087 711 2315 | Email: info@simlu.africa | Website: www.simlu.africa

Behold


The new Height Champion

The PE Grab line which surrounds the LALIZAS Lifebuoy Ring, is designed to withstand oil and flames and provides easy & quick grab in case of emergency

0098

SUITABLE FOR OFFSHORE DRILLING UNITS, CERTIFIED IN ACCORDANCE WITH THE IMO MODU CODE

U.V.
PROTECTED
OUTER SHELL



Main Specifications

* Drop Height: **80m**
* Strength Resistant: 90kg Test
* Storage Temperature: -30° C till + 65° C
* Floatable/Unsinkable: 14.5kg Test
* Flame / Diesel Oil Resistant
* PE Lifebuoy Shell

Every LALIZAS Lifebuoy Ring is equipped with 400 sq.cm of Lalizas approved Retro-Reflective Tape (LALIZAS Code 70180)

The Highly visible colour of LALIZAS Lifebuoy Ring makes it easily detectable in water, through waves and humidity

SIMLU HOLDINGS

Simlu Holdings
Nexus House, Zimbali Lodge Drive, Port Zimbali, Dolphin Coast, 4399
Tel: 087 711 2315 | Email: info@simlu.africa | Website: www.simlu.africa

Behold

The new Height Champion



LALIZAS Lifebuoy Ring SOLAS

Being on top of safety standards in marine equipment industry, requires tremendous effort & true passion... Two elements which enforce our originality & challenge us with every day.

LALIZAS Lifebouoy Ring SOLAS is the new 80m height Champion.





COMPARISON BOARD	LALIZAS **Lifebuoy Ring SOLAS 2,5kg®** **SKU LBR25**	LALIZAS **Lifebuoy Ring SOLAS 4,0kg®** **SKU LBR40**
PRODUCT CERTIFICATES	MED approved according to SOLAS 74/78 as amended Reg. III/4, III/7, III/34, X/3, MSC.48(66), MSC.81(70) [LSA Code] as amended by MSC.207(81), MSC.36(63) and MSC.97(73) [HSC Code].	
WEIGHT	**2.5 kg** (5.11 lb)	**4.0 kg** (8.81 lb)
DROP HEIGHT	**80m**	**80m**
LIFEBUOY SHELL / INTERNAL MATERIAL	PE / PU Frothing	PE / PU Frothing
GRAB LINE MATERIAL	PE	PE
REFLECTIVE TAPE	Lalizas LA70180, SOLAS/MED approved Retro- Reflective Material. In compliance with resolution A.658 (16)	
HIGHLY VISIBLE COLOUR	YES	YES
STORAGE TEMPERATURE	-30° C up to + 65° C	-30° C up to + 65° C
RESISTANT TO FLAME / DIESEL OIL	YES / YES	YES / YES
TESTED FOR OPERATION w. LIGHT & SMOKE SIGNAL	-	YES
EXTERNAL/INTERNAL DIAMETER	715mm ± 5 / 445mm ± 5	715mm ± 5 / 445mm ± 5

SIMLU HOLDINGS

Simlu Holdings
Nexus House, Zimbali Lodge Drive, Port Zimbali, Dolphin Coast, 4399
Tel: 087 711 2315 | Email: info@simlu.africa | Website: www.simlu.africa